

6

fsm:APAP d5

22 July 82

APPARATUS OF APPARITION

Being an account of
the Strange and Wondrous Machine I Thought Up
for Making
Your Basic 3D Synthetic Image Movies

including

An Actual Authentic Replica of the Patent Application Itself
Suitable for Reading.

Preliminary Draft.

(c) 1971, 1982 Theodor H. Nelson
THIS BOOK IS A FANTASM(tm) PRODUCT.

WHY?

Now you may wonder why in the world, with supposedly more important things to do, I am bothering to publish a clotted and unreadable object like this, eleven years out of date in a fast-moving field.

There are several reasons. One is Well, Why Not.

Another is that some people might be interested.

Now, the field of computer image synthesis, especially during the last decade, was very inbred. Nowadays it's full of riffraff, and any Tom, Dick or Harry can open a movie studio; all he needs is a Vax and a Dicomed and a hacker. But in the old days, when I did this stuff, things were different. It was very clannish. The work was carried on by the fraternity of anointed Ph.D.'s, and they wouldn't speak to you (some of them still won't) if they thought you weren't at their level. And try to convince them. And basically people who worked in this field got their ideas one from another, and so we have seen a torrential progression of brilliant, and closely-coordinated work, one development following close on the heels of another.

This is something different.

I did it all by myself. Nobody suggested I do it; rather, a number of people told me to stop. Nobody contributed any ideas. And I think the result is rather interesting, since it bears little resemblance to anything before nor since. The ideas in it just might-- just might, mind you-- be interesting to an occasional stray Ph.D. And who knows, something might yet come of certain parts of it.

In this light, another reason for publishing it is that little notice on the cover about the Fantasm trade mark.

One more reason for publishing this. I will never be a Ph.D.; but I am rather tired of the snotty treatment I occasionally get because of it. Some readers will recognize that there are other ways to demonstrate that you have a brain than to work on problems other people set for you.

The actual inspiration came from Robert Barnhill's talk at the 1981 Siggraph conference which inspired me to publish this work both for its historical interest and for such other ideas as may still be original.

If the reader is thoroughly confused, we will proceed immediately to the content. I will assume, of course, that you are familiar in general with the ideas of solid

modelling, shaded and shadowed scene-synthesis, and the other 3D halftone animation stuff; and that you have seen Iron.

HOW IT STARTED

Being an independent cuss, after my first computer course I got a great many ideas for how to use computers to further my two main concerns: writing and movie-making. (What I did about the writing is another story.) We are talking 1960.

In those days, intensely alone with my file cards, I spent hours and hours making notes on the problem, trying first this idea, then that. It was not long before I saw the matter of the surface itself as essentially solved by triangular fairing; then it became light and shadow that were difficult in that era of simple hopes and simple systems. So I went on to tear my brain constantly on the related matters: schemes for shadow calculation; tables, pointers, linked lists.

I hungered not only for the result, the system that would let me make movies of anything imaginable, but of course for the fame and perhaps wealth that would come from doing such a thing, single-handed, when nobody else I talked to could imagine it. Ah well.

THE SEQUENCE OF DECISIONS

Although I have precise notes elsewhere, they are not available as I write, so this is a reconstruction.

I briefly considered the merits of two-dimensional animation, but sometime during the academic year 1960-61 it occurred to me that full scene synthesis, with area fill to any detail by raytracing, was possible.

Only slowly did I come to understand coordinate-space, just from thinking about it. (I never passed a math course in my life, nor can I; I will be writing about math teaching, as I see it, elsewhere. I have to figure these things out for myself.) First I grasped that three-dimensional representation was possible, and somehow transformation to a picture was possible; but only gradually made the transition to seeing it as a sequence of operations on a specific arrangement of data, which I arranged and rearranged interminably in my mind.

(I did not worry about jaggies because I assumed reflectance averaging within each pixel's intercepted scene area.) The idea was that when you knew about where the raytrace went in the scene, you would muck about wiggling it and average what you hit.

Triangles are the ferocious insight I clung to. First

6

I realized that any curvy object could be covered by triangles with no gaps. Then I thought how a structure of triangular polygons could project to a picture. (I visualized a pinhole camera, and the straight-line rays crossing through some imaginary point to their destination on the virtual picture. If it was that easy to visualize it could surely be programmed.

Then it came to me with terrible clarity that all you had to do was smooth the triangles over. And then by some process of projection-- worse than the easy, pinhole-camera kind you could do with the triangle edges-- you could do the whole thing.

I knew nothing of projective geometry. I knew about pinhole cameras and perspective, and saw that somehow the corresponding operation could be done.

INPUT

I assumed, of course, that input was to be on a very responsive 3D vectoring display. None was known to me at the time, but from the magazines I was reading-- things like Datamation and Computers and Automation-- it was possible to keep track of what was going on in graphics, especially line-drawing systems. I knew of Sketchpad, and that it had

7

been generalized to three dimensions, and anyway once you had the idea of changing a drawing on the screen the rest was obvious. And the fast-falling price of hardware made it clear that soon we would have, as we did, 3D systems such as the Ambilog. (Its 3D version (the Adage terminal) was available in the mid or late sixties.)

I had no interest in automatic methods of input or the simulation of reality by algorithmic means. As far as I'm concerned, human creative vision is paramount, and not to be diluted or shared with gadgets, algorithms or other imposters.

TRIANGLES

My approach was based upon the interesting insight that any curved object can be covered with triangles, and therefore that a triangular representation is a concise and easy-to-work-with representation for any curved object. (If you don't like the curvature on a particular triangulation, resculpt the object with more triangles.) However, my plans rested also on the assumption that a simple algorithm could be found for fairing, or smoothing over, an arbitrary triangular surface having up to six triangles intersecting at a vertex. The constraint on the fairing-function had to be ease of computation and smooth first and second

derivatives in all directions and only vertices constrained to be on the surface. I believed that a simple weighting-function using polynomials could be found.

(Only at Siggraph 81, where I learned about the work of Robert Barnhill of the University of Utah, have any of these methods been confirmed. I take a certain rueful pride in having been generally correct about the practicability of triangles-- Prof. Barnhill also appears to believe they are the right way to go-- but the mathematics is considerably more difficult than I had expected, and rather beyond my own abilities.

I started attending conferences in 1964 or 1965. The big event was a presentation at IFIP by the great Sutherland. He gave me a strange look for taping his talk.

It was also at this conference that I had a chance to try programming a real machine, rather than on paper, for the first time. DEC had a PDP-6 there, and was showing their time-sharing system. I waited for a terminal, and camped on it for two hours trying to get polynomial triangle-fairing to work. The guy kept trying to make me leave, but very politely, so I was able to stay on about two hours, but trying to pick up the operating-system commands in that short time was hopeless and I never even got a compile.

Mingling madly with computer scientists at conferences, I talked to a number of computer scientists about my idea of making 3D movies by computer. However, among those I was able to contact (and I attended all the national computer conferences in the East and the Society for Information Display) no one was particularly interested. "It's impossible," "Why would you want to do that?" were typical responses, along with various red-herring suggestions like the inference of curved shape by AI methods and computer writing of scripts.

(Thus I had no confirmation that it was possible to simulate photography by sampling a scene-space of abstracted surfaces until the announcement for (I believe) the Spring Joint Computer Conference, 1968. I was sufficiently disturbed by this event, and by my own failure to get priority, that this led directly to the breakup of my marriage.)

After the Utah work began to come out-- I contacted Romney and he visited me in my apartment in 1968-- I began to take another direction. From June 1968 I developed the hybrid conceptions here.

THE SUPPOSEDLY REAL WORLD

Oh yes. Nobody was paying me to do this. I have given the progression of thought over a period of one or two years, but actually I had to be doing other things at the time.

During this time, of course, I had to make a living in other ways, although I was so sure of how great it was all going to be from my ground-breaking work that I let mundane concerns and normal jobs slip a good deal. (I believe today's computer hobbyists suffer from the same vice.)

PORPOISES BEYOND UNDERSTANDING

I spent a year in Miami as Dr. Lilly's dolphin photographer-- but with a lot of thought and effort on this; I pawed my Datamations and scribbled my cards.

VASSAR DAYS

In 1964 I got a job teaching sociology at Vassar. I figured it would do until the Great New World of Computer Media opened up.

Nobody had a computer in those days, certainly not Vassar, and I was also chary of whom to ask for help; I didn't go near IBM even though we were in Poughkeepsie. But I did approach the president of Dutchess Community College. He was eager for me to use theirs. It was a 1401, but I should have.

Also from my Vassar office I called a young whiz kid named Ed Fredkin, who had just set up a company called Information International to sell CRT plotters (and scanners), mostly, I suppose now, to you-know-who.

Fredkin's reaction, when I tried to interest him in realistic shaded scene synthesis, was "Why would anyone want to do a thing like that?" This is the more ironic in that the really fancy work was eventually done by Information International, but by then Fredkin had cashed in his chips and stepped out of it. (I have talked to Fredkin much more recently and he does not remember the call.)

(During the years 1964-7, while I was teaching at Vassar, I paid a great deal of attention to two-gun storage-tube technology, with the idea that it could handle shadows and occultation satisfactorily in the megapixel range.)

BACKING AND FILLING

I looked for backing, but you have to understand several things. One, can you imagine trying to explain this stuff in the early sixties? You talk about image synthesis, they look at you strangely and ask you to explain computers; then, if you go along with that, they say they think they could understand what a computer was much better if they know what it was made out of.

Another problem was me. I have never been patient and could never suffer fools. Basically the range of people I can talk to has never been very large. My energies were limited, and I could only make a few approaches. Worse, I would lose my temper at a rebuff and not be able to try again for several months.

I did propose development of my system to various parties, among them CBS Laboratories, and curiously got as high as the head of CBS Network-- who told me, "We're already doing it." That was a real downer.

What they turned out to be "already doing," however, was backing Computer Image Corporation. While the work of Computer Image is very good, I was affronted that a man supposedly apt enough to run a network should have thought the picture-twisting systems of Computer Image Corporation had the slightest resemblance to the high-quality pseudo-photography I was about.

The CBS people suggested that I go to hear a presentation by Computer Image at the Hotel Plaza. After the hors d'oeuvres and a presentation that the press considered mind-boggling, I asked their technical guy how it was done. Offhandedly he said by using readable storage tube and plotting back-to-front for image, away-from-light for shadow. Assuming I was a reporter, he thought he had told me nothing; he could not have known I privately called such a technique "analog puddling." But I was surprised to learn they were doing the whole thing in analog, which meant a rather sharp limit on realism and complexity.

WORKING AT THE FARM

I retreated to my grandparents' farm to work on this during much of 1969 and 1970, completing this writeup with their financial help.

I turned down a blind date for New Year's 1970 with a lady who later became a rock star. I often wonder what might have Happened If.

Prof. Charles Strauss of Brown University served as a consultant, helping me formalize my surface-smoothing function, though because it shared whole edges between facets-- though it produced a truly curved surface, did not produce a correctly curved surface, bowing the facet edges properly. (This was left to Barnhill.) Due to my faulty explanation Strauss included perspective calculation in the formula, which was not what my design required.

What with one delay and another, not to mention the annoyances of the so-called Real World, this did not come together as fast as I expected. It was submitted to the patent office in 1971. By the time they replied, however, it was clear that the hundreds of thousands of dollars backing needed to get serious would not occur.

[this page blank]

16

WHAT THIS IS

The resulting machine design was not intended seriously in the form given. It was rather intended as a strategic holding action in a software-as-hardware patent ruse, rather like those that others have perpetrated, e.g. Romney's surreptitious generalization of his patent to the algorithm itself by presenting it in a fictitious array of "microprogrammable microprocessors." (Patent no. 3,621,214, column 34.)

"ACTUAL WORKINGS"

In case anyone actually wants to study this, various explanations are in order to the present-day graphics community. First, it was not written to be understood, it was written to hold a place in the patent queue.

The assumption was that this device, a multi-layered carpet of special-purpose computing cells, would hold the representations of three-dimensional objects. It does not itself make the picture; that is the job of another supervising computer. If we think of that other, picture-making computer as a shepherd, this machine is the herd of sheep. Or better, the other machine is the artist; this machine is the model, the scene, the studio. If the picture-making computer be thought of as the camera, then this machine is the studio, the set, and the actors.

So this is really a database machine, holding a curved object in the shorthand form of triangles; the curved object may be viewed or examined by program in its fully inflated form.

What the system does is hold the three-dimensional representation of every object in its current position-- the overall purpose is of course movie-making, so continuity between successive positions is important-- and it

carries out various explorations, as dictated by the mothership computer, for the various purposes and steps of making the picture. These include raytrace and edgetrace from both camera and multiple point-source lights. Then, when one picture is all made, it makes the changes to do the next, saving what it needs.

This design was essentially a compendium of ideas I consider interesting, put together with the minimum of detail needed to produce a preliminary patent application. Considerably more money and expertise would have been needed to go further with it.

The general idea is simple: to produce a machine holding a virtual 3D object. This machine then serves as a database for processes to be carried out by graphical and other computer systems.

The machine design in the paper is conceived as a cellular array of special-purpose ICs which carry out surface-shell calculation to smooth over a three-dimensional triangular mesh.

If it is not completely obvious to the reader, let me stress the fanciful nature of this design. Analog equipment this complicated simply does not work, at least in generations before now. The integrated circuits proposed

are totally bizarre, which is why they charmed me so. But inside all this mischievous complication the idea had its own inner light. Expecting the moneys to be raised, taking the geometries and interrelationships and making them work in some transposed form was to be another job.

SEARCH RATHER THAN THRUST

Now it is good to have mathematical fairing-functions (including, as I understand it, Prof. Barnhill's) whose curved objects can be ray-queried directly. That is, you can specify a ray through space and the mathematical operations will inform you directly whether or not the ray hits an object and, if so, where (for all levels of penetration).

But it had to be assumed in this design that no direct piercing-function can be calculated directly. I believed, of course, that such an operation would be found, as Barnhill has found it, but I had to work with what I had.

Not having the benefit of such mathematics, I made the brave assumption that this luxury of direct one-step raysearch was unavailable. Thus it would have to be faked by trial-and-error search. That is, take a point on the object; determine its projection in the desired view (or

shadow occultation area as seen from the light); then correct it, adjusting the candidate position to approach the desired projection-point to within a given epsilon.

This sounds terrible, and it is, but bear in mind that since the idea was to segregate this process into very fast hardware, that special box could always be cranked up-- in principle-- to the speed required by the other components. Or conversely we could slow the whole arrangement down, and build two of them.


THE CORRECTIVE SEARCH CYCLE

Thus the general sequence of operations hinged around this central sequence:

- 1) take a point,
- 2) see where it projects to,
- 3) correct if necessary.

The initial point was stated in terms of a flattened set of coordinates, effectively the Mercator projection of the object or beast being portrayed.

Thus the sequence of this inner loop was as follows.



This is really pretty unthinkable for sequential digital calculation. However, as the proposal was developed here, it was done in analog. Now if you limit the entire scene to one set of analog coordinates, as do the Computer Image people, you drastically curtail the resolution. But instead I effectively created a separate set of analog coordinates for the local curved shell of each facet, avoiding accumulation of errors.

This allowed rapid feedback to closure at analog rates, or very very quickly-- at least in principle, since these were among many details not actually worked out here.

THE THREE-LAYERED CARPET

In this design, the machine is preloaded with information representing a 3-dimensional structure of triangles. (The triangles may have arbitrary connectivity, except that no more than six may meet at a vertex.) Additional precalculations needed for the total smoothing of the surface into a fair curved shell are also preloaded. This totality of triangular coordinates and precalculations

we may call the surface data web.

In this machine design, the data web is stored in an array of hexagonal ICs which are essentially just holding registers. One of the principal operations they carry out, however, is the incremental shifting of the data web in any of their six directions.

Sitting atop these we have bow-tie-shaped cells, which function as D-to-A converters for the many quantities represented below in the hexes.

Finally, doing most of the work, are the "tricell" analog computers, triangular ICs which sit atop the bow-ties and respond to exploratory signals.

Given that there is no piercing-function for a direct raytrace, the next best thing we can do is an analog exploration around the virtual surface. Accordingly, that is what the tricells do-- being so driven by various feedback controllers.

Given a preliminary point on the flat surface corresponding to the object-- what we may call the Mercator-point-- the device computes, in analog, two vectors: a triple voltage representing the corresponding position in 3-space, and a triple voltage representing the

corresponding normal vector to the surface at that point. Since we are working in analog, these quantities may be changed by infinitesimal increments, corresponding to a movement on the surface.

Which is indeed postulated as the fundamental operation of the machine. You start with an arbitrary flat-point or Mercator position, and then move it incrementally on the 2D map of the object. The array responds continuously with both the surface point and the normal vector of the moving spot.

THE COORDINATE SYSTEMS

For terminology, let us distinguish a number of different quantities:

flat map

the 2D map of the surface.

Mercator point, flat-point

position on the flat map.

u, v, w (abbreviated uvw)

coordinates of the flat map, at 60 degrees to one another. Since only two are needed, we pick uv .

u, v (abbreviated uv)

any position on the flat map.

probe (noun)

selection and movement of a flat-point and its corresponding surface-point and normal vector.

x,y,z (abbreviated xyz)

triple of numbers representing the instantaneous surface position of a probe.

p,q,r (abbreviated pqr)

triple of numbers representing the instantaneous unit normal vector of a probe.

WHAT'S OF INTEREST IN THIS THING

Here is a brief list of the ideas that still delight me in this package.

First and foremost, we have here a **virtual object machine**-- although the individual components are insanely strange and complicated, the array as a whole is meant to respond as a whole. You don't have to make calculations about the thing contained in it; you may explore it as if running your finger along the relative edges of interest.

The different geometries and their interpenetration.

The mechanisms by which irregularities in the triangular mesh are accommodated, and the ability of the data web to slide around in the whole array.

The fact that the array can be partitioned.

The geometry of shadow and occultation.

The use of the edges of the volumes of shadow and occultation, particularly with analog communication between

their representations.

The idea of linked explorations between the edges of visibility and shadow and the curvy surfaces, especially with the sensuous analog explorations.

The idea of a divisible data space, with analog feedback among its sections.

The analog signal braid, capable of driving the exploration trace across the entire carpet of cells-- by virtue of the internally-set response-pattern of each tricell. (The sensitivity aperture is admittedly a kludge.)

Also the fractaloid stuff. The provisions for "repetitive pseudo-random patterns" nicely foreshadow the fractal work, and Csuri's work with leaves and landscapes, and the proposed "leaf machine" is of intrinsic interest still.

WARNING

For heaven's sake don't worry about the block diagrams of edge tracer, braider and so on. These are the dummest of dummy constructions. The point is that their function had to be represented in a concrete form.