


User Operation

TYPE are Insert Delete Rearrange Transclude makelink ... -?




-X User edits pointers, not material.

CONVENTIONAL WP =




OUR SYSTEM =






# EASY COMPARISON BETWEEN VERSIONS (good for franchising)




TRANSCUSSION OPERATION (like 2 copy)






e-mail reply



TRANSCLOSIVE E-MAIL READER



In order to do this \_\_\_\_\_




triple replies so we have the row:

>  
...  
>>  
>>  
>>>  
...

~~CONSPICUOUS~~

BETTER





Instead of requiring everybody to save all emails,

You saved emails  
have a primary address  
unique to that email.

the  
file



**GUARANTEED UNIQUE.**

Can be accessed from  
your own file — if you saved them  
IF YOU DIDN'T SAVE THEM — somebody must

# Hybrid format

Transcript  
format  
(will find  
original  
content)


~~Transcriptive~~ quotes  
which somehow OPEN UP

Standard  
format  
(only quotes)

X X X X X X X X

Whole original?

THIS





Another advantage = MULTIPLE FLAGGING & VIEWS


Endors shows you:

unopened	.
replied	R
forwarded	F

NO WAY TO CREATE OTHER MARKINGS

THIS IS ENDORS'S OWN ADDITION.


~~BASIC~~ UNIVERSAL UNIX  
~~BASIC~~ E-MAIL FORMAT



You can read it out a text editor!  
 " write "


---

NOT USED BY CNS!  
 Separate numbered files instead.






NICE IDEA = Expanded <sup>mscl</sup> MUP, render




Test would offer =

~~Translative~~ window

Translative window  
in what you write



What sender and receiver see (if they share Keio CNS)





# NOTE SCRIBBLE:


this is a transcribe e-mail. If you have  
resler, skip to botto

NOTE  
CAUTION

X X X X ~ ~ ~


transcribe  
format

EJ points out = THIS IS ESPECIALLY USEFUL FOR  
E-MAIL DISCUSSION GROUPS =



We want: NON-RECURSIVE TAPES

Edited by G. \_\_\_\_\_





Ed: If people saw the strength of this, it would be very ~~of~~ useful.  
(E-mail is the most-used system, then www.)

<HTML>



<IMG SRC = address >

Brings in a picture  
from anywhere in the universe

We've simulated

<TXT SRC = address, start, length >



There's some new way WITHOUT PERMISSION



TO ADD TO HTML, you must have permission from:  
W3C world ~~wide~~ wide Web Consortium (Tim-Berners-Lee)  
Netscape  
Microsoft

---

She liked the idea of OSMC e-mail,  
but then thought about the complications.

(In April, CNS updated the file system, allocating 100 meg instead of 38.)  
(SO IT'S GOING UP AGAIN.)

---

The problems = ACCESSIBILITY.  
REDUNDANCY.

shd he open his Mail directory?

(The new students use MU, which <sup>MIME</sup> ALLOW ATTACHMENTS.)  
(MH ~~now~~ did not allow attachments.)


Ed suggests using Stripper-Demon, taking all the unneeded parts  
if addressee does/does not have  
compliant interface.)



---

(for 2.27) WE NEED NURSING CENTER!

Shd we do a translucent J-lexer for ease of use?



Ed That's it would be very useful ...