



BASIC WAIT LOOP FOR OPERATION.



— Main Diagram (Simplified) —

Branching Edit Operation.

8



If you request $\langle .2_a.2 \rangle$,
 the function called "branchSort" returns array
 called "@myList".

@myList = (.1, .2, .2_a.1, .2_a.2);

**VERSION STEPS
 to GET TO THIS ONE.**

On the other hand, the array called "@allList"
 consists of whole operation codes.


EVERY OP IN POOL, SORTED BY USER & JOST

@allList = (verNum / Type / pointers, ---);

~~OPS to get to this version, indexed by~~

So we need to filter @myList into @allList.

Filtering function is named "versionSearchEngine."





*@myList
 #5 FILTERS
 all lists
 to fix steps*

U

OSMIC WORKSHOP #

, 97-07-10.

FAX is a TIFF format.






PARALLEL COUNT
STREAM

REC: length of set

HI
LO
MED
HI






SIMPLIFYING ASSUMPTION =
LOW RESOLUTION




<http://www.sfc.../t9566>

For
Project
Am /st /err


~t95663sn




↓
M) new view



ISLAND HYPERTEXT time




X ALLOWS
WINDOWS
OF
ANY SHAPE!



FLOATS OFF
BROWSER

Pod++

Interface



HTML pages

COMPILE!

OSMIC FORM
Easy to monitor



WEBS (Hard to monitor)


Competition:
HyperWave
SONL
⋮
OTHER ~~IT~~
SYSTEMS

-2-a.2

@ = (~~1~~ 2) = split (/)

foreach (@) {



do



until (2)



(1, 2, 2-a.1, 2-a.2)




Documt is a collection of versions which user groups together.


System version is a state of a document.

Our system keeps track of

- (1) changing state
- (2) user's names for versions





TRANSLUCSION



NOTE = still not linked to any material.

(material is w/ready stored)

DELETE




NOTE: we have to handle the local pointer address.

(Version position of material being deleted.)

WILL USE VV ADDRESS or synchronizing conf.

REARRANGE



SYNCHRONIZING OF CLIENT AND SERVER.

Two choices we were considering:

POINTER NUMBER

They prefer: LOCAL ADDRESS ON V.V.

PLANNING WHAT TO DO.

DOCUMENTATION ON WEB.

Ted will write & post / by 24th.
Shu will ^{transfer} ~~write~~ & post

INTERACTIVE PAGE.

Ken'ichi's design.

TO BE DISCUSSED ON 24th.

FRONT END? Includes Web Page.

Pad ++? JT will look at it.

TO PREVENT INTERFERENCE AMONG USERS —

OSMIC FAX FORMAT
line count

Primedia stream wong

